



|         |                                       |                      |                                                                                    |
|---------|---------------------------------------|----------------------|------------------------------------------------------------------------------------|
| VERSION | Project Details:<br>Shower Valve Trim | Flow Rate: --        |  |
| Loc:    | Finish: Chrome                        | Model #: CD186400TRM |                                                                                    |

Date:

# CD186400TRM Valve Trim

## Model Number

- CD186400TRM Shower Valve Trim  
Requires: 262XBODY or 261XBODY

## Option/ Modifications *Add below finish code before "TRM" for coordinating finish*

- STN Satin Nickel
- MB Matte Black
- BBZ Brushed Bronze
- PNL Polished Nickel
- STB Satin Black



## Feature Highlights



- Brass construction
- Temptrol Valve platform  
262XBODY or 261XBODY (Not included)

## Certifications

- ASME A112.18.1
- CSA B125.1
- NSF/ANSI/CAN 61



## Dimension



Valves not included

Approved by:

Approval Date:

Approval Signature:



|         |                                  |                        |
|---------|----------------------------------|------------------------|
| VERSION | Project Details:                 |                        |
|         | Two Function Diverter Valve Trim | Flow Rate: --          |
| Loc:    | Finish: Chrome                   | Model #: CD18642DIVTRM |



Date:



# CD18642DIVTRM

## Diverter Valve Trim

### Model Number

- CD18642DIVTRM Two Function Diverter Valve Trim
- Requires: 2DIV-BODY

### Option/ Modifications *Add below finish code before "TRM" for coordinating finish*

- STN Satin Nickel
- MB Matte Black
- BBZ Brushed Bronze
- PNL Polished Nickel
- STB Satin Black

### Feature Highlights



- Brass construction
- Temptrol Valve platform
- 2DIV-BODY: two-function diverter (Not included)

### Certifications

- ASME A112.18.1
- CSA B125.1
- NSF/ANSI/CAN 61



### Dimension



Approved by:

Approval Date:

Approval Signature:



|         |                                           |  |               |                                                                                    |
|---------|-------------------------------------------|--|---------------|------------------------------------------------------------------------------------|
| VERSION | Project Details:<br>Shower Arm and Flange |  | Flow Rate: -- |  |
| Loc:    | Finish: Chrome                            |  | Model #: 300  |                                                                                    |

Date:

# 300 Shower Arm and Flange

## Model Number

- 300 Shower Arm and Flange

## Option/ Modifications *Add below finish code at the end for coordinating finish*

- STN Satin Nickel
- MB Matte Black
- BBZ Brushed Bronze
- PNL Polished Nickel
- STB Satin Black

## Feature Highlights


- Metal construction - Shower arm and flange
- 8" length

## Compliance

- ASME A112.18.1
- CSA B125.1



## Dimension



Approved by:

Approval Date:

Approval Signature:



|         |                                                            |                    |                                                                                    |
|---------|------------------------------------------------------------|--------------------|------------------------------------------------------------------------------------|
| VERSION | Project Details:<br><b>Showerhead 6"</b><br>Finish: Chrome | Flow Rate: 2.0 GPM |  |
| Loc:    |                                                            | Model #: CDNY2SH6  |                                                                                    |

Date:

# CDNY2SH6 Showerhead



## Model Number

- CDNY2SH6 Showerhead 6in - 2.0 GPM (7.6 L/min) Flow Rate

## Option/ Modifications *Add below finish code at the end for coordinating finish*

- STN Satin Nickel
- MB Matte Black
- BBZ Brushed Bronze
- PNL Polished Nickel
- STB Satin Black

## Feature Highlights


- Metal construction - Durable solid ball joint
- Non-corrosive EverFlow rubber nozzles
- 2.0 GPM (7.6 L/min) Flow Rate

## Compliance

- ASME A112.18.1
- CSA B125.1
- NSF/ANSI/CAN 61



## Dimension



Approved by:

Approval Date:

Approval Signature:



|         |                              |                     |
|---------|------------------------------|---------------------|
| VERSION | Project Details:             |                     |
|         | Hand Shower Slide Bar System | Flow Rate: 2.0 GPM  |
| Loc:    | Finish: Chrome               | Model #: CD18642HSB |



Date:



# CD18642HSB

## Hand Shower Slide Bar System

### Model Number

- CD18642HSB Hand shower, slide bar, wall cradle and elbow  
2.0 GPM (7.6 L/min) Flow Rate

### Option/ Modifications *Add below finish code at the end for coordinating finish*

- STN Satin Nickel
- MB Matte Black
- BBZ Brushed Bronze
- PNL Polished Nickel
- STB Satin Black

### Feature Highlights


- Hand Shower, slide bar, wall cradle and elbow
- Non-corrosive EverFlow rubber nozzles
- 2.0 GPM (7.6 L/min) Flow Rate
- 60" flexible metal hose

### Certifications

- ASME A112.18.1
- CSA B125.1
- NSF/ANSI/CAN 61



### Dimension



Approved by:

Approval Date:

Approval Signature: